



# **Education and Resources for Hospital Accreditation**

Comprehensive Care Standard and end-of-life care

2022



#### **How to Cite This Document**

End-of-Life Essentials (2022). Education and Resources for Hospital Accreditation: Comprehensive Care Standard and end-of-life care.

#### **Acknowledgements**

Funding for this project was provided by the Australia Government Department of Health and Aged Care. We also wish to thank all the people who contributed to the development, implementation, and evaluation of this project.

### **About End-of-Life Essentials**

The End-of-Life Essentials Project offers free peer-reviewed online education modules on health care at the end of life in acute hospitals for nurses, doctors and allied health professionals. The content of the modules has been developed from the ACSQHC National End-of-life Consensus Statement. A range of implementation tools are also available to assist managers and clinicians to implement a unified approach to strategies and processes which will inform end-of-life care.

Further information can be found at endoflifeessentials.com.au



#### Contact

#### Enquiries regarding this Document should be directed to:

Associate Professor Kim Devery. Lead: End-of-Life Essentials Phone: +61 8 7221 8223 Email: kim.devery@flinders.edu.au

### Copyright

© Flinders University

This work is copyrighted. It may be reproduced in whole or in part for research or training purposes, subject to the inclusion of an acknowledgement of the source. It may not be reproduced for commercial use or sale. Reproduction for purposes other than those indicated above requires written permission from End-of-Life Essentials. Contact copyright@flinders.edu.au for permissions.







## Introduction

### **Purpose of the End-of-Life Essentials Guide**


This resource for hospital accreditation expands on the mapping undertaken by the Commission of the Comprehensive Care Standard actions that focus on end-of-life care to the National Consensus Statement: Essential elements for safe and high-quality end-of-life care (Consensus Statement). The Comprehensive Care Standard is part of the NSQHS Standards (second edition) and relates to the delivery of comprehensive care for patients within a health service organisation.

The purpose of this guide is to assist hospitals executives, safety and quality managers and clinicians responsible for accreditation with implementing the six end-of-life care actions in the NSQHS Standards 2nd Edition.

### Comprehensive care is the coordinated delivery of the total health care that a patient needs or wants.

The Comprehensive Care Standard includes six actions that focus on end-of-life care. These actions require health services to have systems and processes for caring for patients at the end of their lives, and for clinicians to use those systems and processes.

These six actions are linked to the 10 essential elements of the Consensus Statements outlined below.<sup>1</sup>





### Introduction

#### Most people in Australia will visit an acute hospital in their last year of life. Many of them will die in hospital.

End-of-Life Essentials (EOLE) is a Commonwealth Funded project (from Flinders University) providing free evidence-based online education and implementation tools for doctors, nurses and allied health professionals to assist in informing and improving end-of-life care in hospitals.

End-of-life care is important for all and is now part of the National Safety and Quality Health Service Standards (NSQHS) 2nd edition.

Figure 1: Development of EOLE Education and Resources



national consensus statement: essential elements for safe and high-quality end-of-life care

national consensus statement:

essential elements for safe and high-quality paediatric end-of-life care



#### END-OF-LIFE CARE AUDIT TOOLKIT



### Background

EOLE has worked in collaboration with the Australian Commission on Safety and Quality in Health Care (the Commission) since the project commenced in 2015.

The Commission has a role in supporting health service organisations and clinicians to improve the safety and quality of end-of-life care, and ensuring that this care meets the needs and preferences of the person who is dying.

EOLE education and resources have been developed from The Commission's resources to help support the provision of high-quality end of life care within health services (see figure 1):

- The NSQHS Standards (2nd edition)<sup>2</sup> which incorporates the Comprehensive Care Standard and end of life care actions.
- The Consensus Statements
  - The National Consensus Statement: Essential elements for safe and high quality end-of-life care<sup>3</sup>
  - The National Consensus Statement: Essential elements for safe and high quality paediatric end-of-life care<sup>4</sup>
- The End-of-Life Care Audit Toolkit
- Delivering and supporting comprehensive end-of-life care user guide<sup>5</sup>







Mapping to Comprehensive Care Standard - end-of-life care actions



Comprehensive Care Standard action	Consensus Statement essential elements	End-of-Life Essentials recommended education and resources
5.15 The health service organisation has processes to identify patients who are at the end of life that are consistent with the National Consensus Statement: Essential elements for safe and high-quality end-of-life care <sup>6</sup>	<ul> <li>1.1 Patient-centred communication and shared decision making</li> <li>4.1-4.3 Use of triggers to recognise patients approaching the end of life</li> <li>6.5 Leadership and governance</li> <li>10.6-10.7 Systems to support high- quality care</li> </ul>	<ul> <li>End-of-Life Essentials education module and Toolkit:         <ul> <li>Recognising the End of Life</li> <li>Patient-centred communication and shared decision-making</li> <li>End-of-Life Care for Diverse Communities</li> <li>Meeting the Standards</li> <li>Clinical Change Management</li> </ul> </li> </ul>
Other Relevant NSQHS Standards		<ul> <li>The Supportive and Palliative Care Indicators Tool (SPICT)<sup>7</sup></li> <li>The Surprise Question<sup>8</sup> 'Would you be surprised if this patient were to die in the next few months, weeks, days'?</li> <li>AKPS<sup>9</sup> Australian Modified Karnofsky Performance Score is a measure of the patient's overall performance status or ability to perform their activities of daily living.</li> <li>ECOG<sup>10</sup></li> </ul>
Recognising and Responding to Acute Deterioration Standard		The ECOG Scale of Performance Status describes a patient's level of functioning in terms of their ability to care for themself, daily activity, and physical ability.



Comprehensive Care Standard action	Consensus Statement essential elements	End-of-Life Essentials recommended education and resources
<ul> <li>5.16 The health service organisation providing end-of-life care has processes to provide clinicians with access to specialist palliative care advice</li> <li>Other Relevant NSQHS Standards</li> <li>Recognising and Responding to Acute Deterioration Standard</li> <li>Clinical Governance Standard</li> </ul>	<ul> <li>1.1 Patient-centred communication and shared decision making</li> <li>3.15 Components of care</li> <li>4.2 Use of triggers to recognise patients approaching the end of life</li> <li>5.5 Response to concerns</li> <li>6.3 Leadership and governance</li> <li>10.3 Systems to support high-quality care</li> </ul>	<ul> <li>End-of-Life Essentials education module and Toolkit: <ul> <li>Teams and Continuity for the Patient</li> <li>Patient-centred communication and shared decision-making</li> <li>The Importance of Coordinating Patient Care</li> <li>End-of-Life Care for Diverse Communities</li> <li>Meeting the Standards</li> <li>Clinical Change Management</li> </ul> </li> <li>List of available specialist palliative care services in each state and territory: <ul> <li>Palliative Care South Australia. Find a list of services local to your workplace. There is a section with information for Health and Community Service Workers.</li> <li>Palliative Care Victoria. Use the search function to find a Palliative Care Service.</li> </ul> </li> <li>Palliative Care New South Wales. Access the NSW Palliative Care Directory of Services. There is a section with information for Health Professionals.</li> <li>Palliative Care ACT has a Services Directory (DAISY) for Healthcare Professionals.</li> <li>Palliative Care Northern Territory has a Service section.</li> <li>Palliative Care Western Australia has a Find a Service section.</li> <li>Palliative Care Tasmania has a section where you can find a service (scroll down) and a section with information for Health and Aged Care Professionals.</li> </ul>



Comprehensive Care Standard action	Consensus Statement essential elements	End-of-Life Essentials recommended education and resources
<ul> <li>5.17 The health service organisation has processes to ensure that current advance care plans:</li> <li>a) Can be received from patients</li> <li>b) Are documented in the patient's healthcare record</li> </ul>	<ul> <li>3.2, 3.3, 3.8 Components of care</li> <li>6.3, 6.6 Leadership and governance</li> <li>10.1, 10.4, 10.5 Systems to support high-quality care</li> </ul>	<ul> <li>End-of-Life Essentials education module and Toolkit:         <ul> <li>Planning end-of-life care – Goals of Care</li> <li>Patient-centred communication and shared decision-making</li> <li>The Importance of Coordinating Patient Care</li> <li>Meeting the Standards</li> <li>Clinical Change Management</li> </ul> </li> </ul>
		• Advance Care Planning Australia's information on Advance Care Planning - determine shared 'Goals of Care' Audit of completion of advance care plans is valuable along with policies, actions and documentation of advance care plans. How will you know when change is an improvement in end-of-life care? What changes about managing advance care plans will drive improvement?
Other Relevant NSQHS Standards Partnering with Consumers Standard		



Comprehensive Care Standard action	Consensus Statement essential elements	End-of-Life Essentials recommended education and resources
<ul> <li>5.18 The health service organisation provides access to supervision and support for the workforce providing end-of-life care</li> <li>Other Relevant NSQHS Standards</li> <li>Recognising and Responding to Acute Deterioration Standard</li> <li>Clinical Governance Standard</li> </ul>	<ul> <li>2.5 Teamwork and coordination of care</li> <li>3.4 Components of care</li> <li>5.7, 5.10 Response to concerns</li> <li>6.2, 6.3, 6.8 Leadership and governance</li> <li>7.1, 7.4–7.10 Education and training</li> <li>8.1–8.4 Supervision and support for interdisciplinary team members</li> </ul>	<ul> <li>End-of-Life Essentials education module and Toolkit:</li> <li>Imminent Death – How to Respond</li> <li>Dying, a normal part of life</li> <li>The Importance of Coordinating Patient Care</li> <li>Meeting the Standards</li> <li>Clinical Change Management</li> <li>Beyond employee assistance programs, consider these key strengthening factors in your organisation:<sup>11</sup></li> <li>Leadership and having champions who can drive end-of-life care change management processes</li> <li>Clarity regarding all staff roles</li> <li>Trust, respect, value, and being valued within the teamwork setting</li> <li>Cultural readiness within the workplace that recognises that end-of-life care is core business.</li> </ul>



Comprehensive Care Standard action	Consensus Statement essential elements	End-of-Life Essentials recommended education and resources
<ul> <li>5.19 The health service organisation has processes for routinely reviewing the safety and quality of end-of-life care that is provided against the planned goals of care</li> <li>Other Relevant NSQHS Standards</li> <li>Recognising and Responding to Acute Deterioration Standard</li> <li>Clinical Governance Standard</li> </ul>	feedback	<ul> <li>End-of-Life Essentials education module and Toolkit:         <ul> <li>Planning end-of-life care – Goals of Care</li> <li>Dying, a normal part of life</li> <li>Patient-Centred Communication and Shared Decision-Making</li> <li>Recognising the End of Life</li> <li>Teams and Continuity for the Patient</li> <li>Responding to Concerns</li> <li>Emergency Department End-of-Life Care</li> <li>Paediatric End-of-Life Care</li> <li>Chronic Complex Illness End-of-Life Care</li> <li>Imminent Death – How to Respond</li> <li>States of Mind at the End of Life</li> <li>Assessing Patient States of Mind at the End of Life</li> <li>Clinical Management of Anxiety, Depression and More</li> <li>End-of-Life Care for Diverse Communities</li> <li>The Importance of Coordinating Patient Care</li> <li>Meeting the Standards</li> <li>Clinical Change Management</li> </ul> </li> <li>Make yourself aware of the Commission's End-of-Life Care Audit toolkit. Find the person in your organisation responsible for reporting on quality and safety issues and bring it to their attention.</li> <li>Death Review or audit.<sup>121314</sup> Consider how your institution assesses end-of-life care as audited against each patients' goals of care (e.g. asking what matters to the patient; providing</li> </ul>



Comprehensive Care Standard action	Consensus Statement essential elements	End-of-Life Essentials recommended education and resources
<ul> <li>5.20 Clinicians support patients, carers and families to make shared decisions about end-of-life care in accordance with the National Consensus Statement: Essential elements for safe and high- quality end-of-life care</li> </ul>	<ul> <li>1.1–1.13 Patient-centred communication and shared decision making</li> <li>2.1, 2.3 Teamwork and coordination of care</li> <li>3.7 Components of care</li> </ul>	<ul> <li>End-of-Life Essentials education module and Toolkit:         <ul> <li>Patient-Centred Communication and Shared Decision-Making</li> <li>Planning end-of-life care – Goals of Care</li> <li>Teams and Continuity for the Patient</li> <li>End-of-Life Care for Diverse Communities</li> <li>The Importance of Coordinating Patient Care</li> </ul> </li> </ul>
		<ul> <li>End-of-Life Essentials: Resources to Adapt and Adopt in communicating about Death and Dying.</li> </ul>
		<ul> <li>Also consider the "Ask-Tell-Ask" techniques<sup>15</sup>: Types of actions may include:</li> </ul>
		<ul> <li>Ask the patient what his or her understanding of their illness is. Explore their hopes, fears and concerns After you have heard,</li> </ul>
Other Relevant NSQHS Standards		<ul> <li>Tell the patient new information that adds to what they already know.</li> </ul>
Partnering with Consumers Standard		<ul> <li>Finally, Ask them what they understand from what you have told them. Clarify their goals and expectations before any decision-making discussion.</li> </ul>
Communicating for Safety Standard		

Note: The Comprehensive Care Standard is a part of the National Safety and Quality Health Service Standards (second edition)





### Resources

### **Useful Resources**

- The Education modules and My Toolkit resources are freely available to access by any health care professional.
- The Accreditation Essentials resources address each Comprehensive Care action relating to end-of-life care:
  - Preparing for Hospital Accreditation: Meeting Comprehensive Care Standard Action 5.15
  - Preparing for Hospital Accreditation: Meeting Comprehensive Care Standard Action 5.16
  - Preparing for Hospital Accreditation: Meeting Comprehensive Care Standard Action 5.17
  - Preparing for Hospital Accreditation: Meeting Comprehensive Care Standard Action 5.18
  - Preparing for Hospital Accreditation: Meeting Comprehensive Care Standard Action 5.19
  - Preparing for Hospital Accreditation: Meeting Comprehensive Care Standard Action 5.20
- There is a free to access Video library where experts in end-of-life care discuss the importance and benefits of the End-of-Life Essentials project, and clinical stories from their personal experience, including an Intensive Care perspective.
- Find End-of-Life Essentials promotional material that you can freely download posters, factsheets, flyers, infographics.
- Join us in improving the safety and quality of end-of-life care in hospitals. Sign up to receive our monthly newsletter, read our **blog** and follow us on Twitter, **LinkedIn** and **Facebook** we are here to help.



eolessentials@flinders.edu.au endoflifeessentials.com.au



### **Endnotes**

- 1 Australian Commission on Safety and Quality in Health Care. *Delivering and supporting comprehensive end-of-life care: a user guide*. Sydney: ACSQHC; 2021.
- 2 Australian Commission on Safety and Quality in Health Care. *National Safety and Quality Health Service Standards*. 2nd ed. Sydney: ACSQHC;2017.
- 3 Australian Commission on Safety and Quality in Health Care. *National consensus statement: essential elements for safe and high quality end-of-life care*. Sydney: ACSQHC; 2015).
- 4 Australian Commission on Safety and Quality in Health Care. *National consensus statement: essential elements for safe and high quality paediatric end-of-life care.* Sydney: ACSQHC; 2016.
- 5 Australian Commission on Safety and Quality in Health Care. *Delivering and supporting comprehensive end-of-life care: a user guide*. Sydney: ACSQHC; 2021.
- 6 Australian Commission on Safety and Quality in Health Care. *National consensus statement: essential elements for safe and high-quality end-of-life care*. Sydney: ACSQHC; 2015.
- 7 Highet et al. Development and evaluation of the Supportive and Palliative Care Indicators Tool (SPICT): a mixedmethods study. BMJ Support Palliat Care. 2014 Sep;4(3):285-90. Epub 2013 Jul 25.
- 8 Downar et al. The "surprise question" for predicting death in seriously ill patients: a systematic review and metaanalysis CMAJ, 2017, Apr 3: 189(13):E484-493
- 9 Abernathy et al. The Australia-modified Karnofsky Performance Status (AKPS) scale: a revised scale for contemporary palliative care clinical practice. [ISRCTN81117481]. BMC Palliat Care 4, 7 (2005). https://doi.org/10.1186/1472-684X-4-7.
- 10 Oken et al. *Toxicity and response criteria of the Eastern Cooperative Oncology Group*. Am J Clin Oncol. 1982 Dec;5(6):649-55.
- 11 Clements D, Dault M, Priest A. *Effective teamwork in healthcare: research and reality*. Healthc Pap. 2007;7 Spec No:26-34.
- 12 Audigé, et al. *Treatment limitation and advance planning: Hospital-wide audit of paediatric death.* Journal of paediatrics and child health, 2020-06, Vol.56 (6), p.893-899
- 13 Thomas et al. *Stroke mortality audit using the Structured Judgement Review method*. Clinical Medicine; London Vol. 19, Iss. 2, (Mar 2019): 185-187.
- 14 Woodham et al. *Audit of parenteral nutrition use in palliative care patients* Clinical nutrition ESPEN, 2018, Vol.28, p.263-263
- 15 The "Ask-Tell-Ask" technique has been reproduced from the Department of Health, Western Australia. Advance CPR decision-making in the hospital setting: Teaching Resource. Perth: WA Cancer & Palliative Care Network, Department of Health, Western Australia 2015.

